

Characterization of native Nordic Farm Animal breeds - State of knowledge, 8.12.2015

The aim of this document is to provide a list of references outlining the current extent of characterization, both phenotypic and genetic, of native Nordic farm animal breeds. Google scholar was used to search for any scientific publications, including student theses and reports, on Nordic breeds of the main farm animal species: cattle, sheep, goats, pigs, chicken, dog and horse. The table below lists the breed names that were used as search keys. When present in the table, both the English as well as the original breed name were employed. No searches in Finnish or Icelandic language were conducted.

Breed	English name of breed	Species	Country
Danske Landhøns	Danish Landrace chicken	chicken	Denmark
	Finnish Landrace chicken	chicken	Finland
	Icelandic landrace chicken	chicken	Iceland
Jærhøns	Jær hen	chicken	Norway
Skånsk blommehöna		chicken	Sweden
Åsbohöna	Åsbos	chicken	Sweden
Ölandshöna	Ölands	chicken	Sweden
Gotlandshöna		chicken	Sweden
Kindahöna		chicken	Sweden
Hedemorahöna		chicken	Sweden
Orusthöna		chicken	Sweden
Bohuslän-dals svarthöna, gammalsvensk dvärg höna, ölandsk dvärg höna		chicken	Sweden
Sortbroget Dansk Malkerace, anno 1965	Danish Black pied Dairy cattle	cattle	Denmark
Agersøkvæg		cattle	Denmark
Rød Dansk Malkerace, anno 1970		cattle	Denmark
Jysk kvæg	Jutland cattle	cattle	Denmark
Malkekorthorn	Danish Shorthorn cattle	cattle	Denmark
	Eastern Finn cattle	cattle	Finland
	Western Finn cattle	cattle	Finland
	Northern Finn cattle	cattle	Finland
	Icelandic cattle	cattle	Iceland
Vestlandsk fjordfe	Western Fjord cattle	cattle	Norway
Dølafe	Døla cattle	cattle	Norway
Sidet trønderfe og nordlandsfe	Sided Trønder and Nordland cattle	cattle	Norway
Telemarksfe	Telemark cattle	cattle	Norway
Østlandsk rødkolle	Eastern Red Polled cattle	cattle	Norway
Vestlandsk raudkolle	Western red polled cattle	cattle	Norway
Svensk rödkulla	Swedish red polled	cattle	Sweden
Fjällnära boskap	Unique Swedish Mountain cattle	cattle	Sweden
Dansk Spids	Danish Spitz	dog	Denmark
Gammel Dansk Hønsehund	Old Danish Pointer	dog	Denmark
Dansk Svensk Gårdhund	Danish Swedish Farm dog	dog	Denmark
Broholmeren	Danish Mastiff	dog	Denmark
	Icelandic dog	dog	Iceland
Norsk elghund grå	Grey elkhound	dog	Norway
Norsk elghund svart	Black Elkhound	dog	Norway
Norsk lundehund	Lundehund	dog	Norway
Norsk buhund	Norwegian Buhund	dog	Norway

Breed	English name of breed	Species	Country
Dunker	Norwegian hound	dog	Norway
Hygenhund	Hygen hound	dog	Norway
Haldenstøver	Halden hound	dog	Norway
Dansk Landraceged	Danish Landrace goat	goat	Denmark
	Finnish goat	goat	Finland
	Icelandic goat	goat	Iceland
Kystgeit	Coastal goat	goat	Norway
Göingeget	Peasantry goats; Swedish Göinge	goat	Sweden
Jämtget	Jämtland goat	goat	Sweden
Lappget	Lapp goat	goat	Sweden
Svensk Lantras	Swedish landrace	goat	Sweden
Frederiksborghesten		horse	Denmark
Jydske hest	Jutland horse	horse	Denmark
Knabstrupperhesten	Knabstrupper	horse	Denmark
	Finn horse	horse	Finland
	Icelandic horse	horse	Iceland
Dølehest	Døla horse	horse	Norway
Nordlandshest/ Lynghest	Nordland pony	horse	Norway
Fjordhest	Fjord horse	horse	Norway
Norsk kaldbloodstraver	Coldblooded trotter	horse	Norway
Sortbroget Landracesvin	Danish Black pied pigs	pig	Denmark
Dansk Landracesvin, anno1970	Danish landrace pigs	pig	Denmark
Linderödssvin	Linderöd pig	pig	Sweden
Dansk Landfår	Danish landrace sheep	sheep	Denmark
Hvidhovedet Marskfår	White faced Marsh sheep	sheep	Denmark
	Kainuu Grey sheep	sheep	Finland
	Åland sheep	sheep	Finland
	Icelandic sheep, including the icelandic leadersheep	sheep	Iceland
Blæset sau	Blæset sheep	sheep	Norway
Dala sau	Dala sheep	sheep	Norway
Fuglestadbrogete sau	Fuglestadbrogete sheep	sheep	Norway
Gammelnorsk sau, Villsau	Old Norse sheep	sheep	Norway
Gammelnorsk Spælsau	Old Spæl sheep	sheep	Norway
Grå Trøndersau	Grey Trønder sheep	sheep	Norway
Norsk pelssau	Norwegian Pelt sheep	sheep	Norway
Rygjasau	Rygja sheep	sheep	Norway
Steigarsau	Steigar sheep	sheep	Norway
Gutefår	Gute sheep	sheep	Sweden
Dala-pälsfår	Dala-fur sheep	sheep	Sweden
Roslagsfår	Roslag sheep	sheep	Sweden
Gestrikefår	Gestrike sheep	sheep	Sweden
Helsingefår	Helsinge sheep	sheep	Sweden
Svärdsjöfår	Svärdsjö sheep	sheep	Sweden
Värmlandsfår	Värmland sheep	sheep	Sweden
Åsenfår	Åsen sheep	sheep	Sweden

Cattle reference list

Ásbjarnardóttir, M.G., Kristjánsson, T., Jónsson, M.B., and Hallsson, J.H. (2010). Analysis of genetic diversity and population structure within the Icelandic cattle breed using

molecular markers. *Acta Agriculturae Scandinavica, Section A - Animal Science* 60, 203–210.

Bennewitz, J., Kantanen, J., Tapiro, I., Li, M.H., Kalm, E., Vilkki, J., Ammosov, I., Ivanova, Z., Kiselyova, T., Popov, R., et al. (2006). Estimation of breed contributions to present and future genetic diversity of 44 North Eurasian cattle breeds using core set diversity measures. *Genetics Selection Evolution* 38, 201–220.

Bett, R.C., Johansson, K., Zonabend, E., Malmfors, B., Ojango, J., Okeyo, M., and Philipsson, J. (2010). Trajectories of Evolution and Extinction in the Swedish Cattle Breeds. 9th World Congress on Genetics Applied to Livestock Production, Leipzig, Germany.

Brüniche-Olsen, A., Gravlund, P., and Lorenzen, E.D. (2012). Impacts of genetic drift and restricted gene flow in indigenous cattle breeds: evidence from the Jutland breed. *Animal Genetic Resources* 50, 75–85.

Edwards, C.J., Ginja, C., Kantanen, J., Pérez-Pardal, L., Tresset, A., Stock, F., European Cattle Genetic Diversity Consortium, Gama, L.T., Penedo, M.C.T., Bradley, D.G., et al. (2011). Dual Origins of Dairy Cattle Farming – Evidence from a Comprehensive Survey of European Y-Chromosomal Variation. *PLoS ONE* 6, e15922.

European Cattle Genetic Diversity Consortium* (2006). Marker-assisted conservation of European cattle breeds: an evaluation. *Animal Genetics* 37, 475–481.

Frost, J. (1912). Origin and descent of the Norwegian breeds of cattle. *J Hered* 3, 216–221.

Gravlund, P., Aaris-Sørensen, K., Hofreiter, M., Meyer, M., Bollback, J.P., and Noe-Nygaard, N. (2012). Ancient DNA extracted from Danish aurochs (*Bos primigenius*): Genetic diversity and preservation. *Annals of Anatomy - Anatomischer Anzeiger* 194, 103–111.

Hamilton, C.K., Favetta, L.A., Di Meo, G.P., Floriot, S., Perucatti, A., Peippo, J., Kantanen, J., Eggen, A., Iannuzzi, L., and King, W.A. (2009). Copy Number Variation of Testis-Specific Protein, Y-Encoded (TSPY) in 14 Different Breeds of Cattle (*Bos taurus*). *Sexual Development* 3, 205–213.

Hessle, A., Dahlström, F., Bele, B., Norderhaug, A., and Söderström, M. (2014). Effects of breed on foraging sites and diets in dairy cattles on mountain pasture. *International Journal of Biodiversity Science, Ecosystem Services & Management* 10, 334–342.

Huuskonen, A. A comparison of Nordic Red, Holstein-Friesian and Finnish native cattle bulls for beef production and carcass traits. *Agricultural and Food Science* 23, 159–164.

Kantanen, J., and Vilkki, J. (2005). Molecular characterisation of genetic resources in cattle and sheep for preserving breeding options. In *Sustainable Use of Renewable Natural Resources: From Principles to Practices*, A. Jalkanen, and P. Nygren, eds. pp. 149–168.

Kantanen, J., Olsaker, I., Adalsteinsson, S., Sandberg, K., Eythorsdottir, E., Pirhonen, K., and Holm, L.-E. (1999). Temporal changes in genetic variation of North European cattle breeds. *Animal Genetics* 30, 16–27.

Kantanen, J., Olsaker, I., Brusgaard, K., Eythorsdottir, E., Holm, L.-E., Lien, S., Danell, B., and Adalsteinsson, S. (2000a). Frequencies of genes for coat colour and horns in Nordic cattle breeds. *Genetics Selection Evolution* 32, 561–576.

Kantanen, J., Olsaker, I., Holm, L.-E., Lien, S., Vilkki, J., Brusgaard, K., Eythorsdottir, E., Danell, B., and Adalsteinsson, S. (2000b). Genetic Diversity and Population Structure of 20 North European Cattle Breeds. *The Journal of Heredity* 91, 446–457.

Kantanen, J., Edwards, C.J., Bradley, D.G., Viinalass, H., Thessler, S., Ivanova, Z., Kiselyova, T., Činkulov, M., Popov, R., Stojanović, S., et al. (2009). Maternal and paternal genealogy of Eurasian taurine cattle (*Bos taurus*). *Heredity* 103, 404–415.

Kidd, K.K., and Cavalli-Sforza, L.L. (1974). The Role of Genetic Drift in the Differentiation of Icelandic and Norwegian Cattle. *Evolution* 28, 381.

Klungland, H., Olsen, H.G., Hassanane, M.S., Mahrous, K., and Våge, D.I. (2000). Coat colour genes in diversity studies. *Journal of Animal Breeding and Genetics* 117, 217–224.

Lauvie, A., Danchin-Burge, C., Audiot, A., Brives, H., Casabianca, F., and Verrier, E. (2008). A controversy about crossbreeding in a conservation programme: The case study of the Flemish Red cattle breed. *Livestock Science* 118, 113–122.

Li, M.-H., and Kantanen, J. (2010). Genetic structure of Eurasian cattle (*Bos taurus*) based on microsatellites: clarification for their breed classification. *Animal Genetics* 41, 150–158.

Li, M.H., Sternbauer, K., Haahr, P.T., and Kantanen, J. (2005). Genetic components in contemporary Faroe Islands Cattle as revealed by microsatellite analysis. *Journal of Animal Breeding and Genetics* 122, 309–317.

Li, M.H., Adamowicz, T., Switonski, M., Ammosov, I., Ivanova, Z., Kiselyova, T., Popov, R., and Kantanen, J. (2006). Analysis of population differentiation in North Eurasian cattle (*Bos taurus*) using single nucleotide polymorphisms in three genes associated with production traits. *Animal Genetics* 37, 390–392.

Li, M.-H., Tapiro, I., Vilkki, J., Ivanova, Z., Kiselyova, T., Marzanov, N., Činkulov, M., Stojanović, S., Ammosov, I., Popov, R., et al. (2007). The genetic structure of cattle populations (*Bos taurus*) in northern Eurasia and the neighbouring Near Eastern regions: implications for breeding strategies and conservation. *Molecular Ecology* 16, 3839–3853.

Li, M.-H., Iso-Touru, T., Laurén, H., and Kantanen, J. (2010). A microsatellite-based analysis for the detection of selection on BTA1 and BTA20 in northern Eurasian cattle (*Bos taurus*) populations. *Genetics Selection Evolution* 42, 32.

Lien, S., Kantanen, J., Olsaker, I., Holm, L.-E., Eythorsdottir, E., Sandberg, K., Dalsgard, B., and Adalsteinsson, S. (1999). Comparison of milk protein allele frequencies in Nordic cattle breeds. *Animal Genetics* 30, 85–91.

Mejdell, C.M., Lingaas, F., Stear, M.J., and Lie, Ø. (1993). Genetic Analysis of Major Histocompatibility Complex Class I Antigens, Serum Transferrins and Red Blood Cell Antigens in Norwegian Breeds of Cattle. *Acta Agriculturae Scandinavica, Section A — Animal Science* 43, 193–200.

Negrini, R., Nijman, I.J., Milanesi, E., Moazami-Goudarzi, K., Williams, J.L., Erhardt, G., Dunner, S., Rodellar, C., Valentini, A., Bradley, D.G., et al. (2007). Differentiation of European cattle by AFLP fingerprinting. *Animal Genetics* 38, 60–66.

Pertoldi, C., Purfield, D.C., Berg, P., Jensen, T.H., Bach, O.S., Vingborg, R., and Kristensen, T.N. (2014). Genetic characterization of a herd of the endangered Danish Jutland cattle. *Journal of Animal Science* 92, 2372–2376.

Sæther, N., and Vangen, O. (2001). Motives for utilizing the Blacksided Trønder and Nordland: a native cattle breed in Norway. *Animal Genetic Resources Information* 31, 15–26.

Sigurdsson, A., and Jonmundsson, J.V. (1995). Inbreeding and Its Impact in the Closed Population of Icelandic Dairy Cattle. *Acta Agriculturae Scandinavica, Section A — Animal Science* 45, 11–16.

Tapio, I., Värv, S., Bennewitz, J., Maleviciute, J., Fimland, E., Grislis, Z., Meuwissen, T.H.E., Miceikiene, I., Olsaker, I., Viinalass, H., et al. (2006). Prioritization for Conservation of Northern European Cattle Breeds Based on Analysis of Microsatellite Data. *Conservation Biology* 20, 1768–1779.

Telldahl, Y., Svensson, E., Götherström, A., and Storå, J. (2011). Typing Late Prehistoric Cattles and Bulls—Osteology and Genetics of Cattle at the Eketorp Ringfort on the Öland Island in Sweden. *PLoS ONE* 6, e20748.

Trinderup, M., Jørgensen, J.N., and Hansen, M. (1999a). Conservation considerations on Danish Shorthorn Cattle using pedigree analysis. *Animal Genetic Resources* 26, 27–33.

Trinderup, M., Jørgensen, J. n., and Hansen, M. (1999b). Inbreeding and loss of founder alleles in four variations of a conservation programme using circular mating, for Danish Shorthorn Cattle. *Animal Genetic Resources* 25, 99–106.

Withen, K.B., Brüniche-Olsen, A., Pedersen, B.V., European Cattle Genetic Diversity Consortium, and Gravlund, P. (2011). The Agersoe cattle: the last remnants of the Danish island cattle (*Bos taurus*)? *Journal of Animal Breeding and Genetics* 128, 141–152.

Chicken reference list

Abebe, A.S., Mikko, S., and Johansson, A.M. (2015). Genetic Diversity of Five Local Swedish Chicken Breeds Detected by Microsatellite Markers. *PloS One* 10, e0120580.

Bergfeldt, A. (2010). Biologisk mångfald i svenska lantrashöns av rasen Hedemora. Examensarbete. SLU.

Berthouly, C., Bed'Hom, B., Tixier-Boichard, M., Chen, C.F., Lee, Y.P., Laloë, D., Legros, H., Verrier, E., and Rognon, X. (2008). Using molecular markers and multivariate methods to study the genetic diversity of local European and Asian chicken breeds. *Animal Genetics* 39, 121–129.

Dorshorst, B., Molin, A.-M., Rubin, C.-J., Johansson, A.M., Strömstedt, L., Pham, M.-H., Chen, C.-F., Hallböök, F., Ashwell, C., and Andersson, L. (2011). A Complex Genomic Rearrangement Involving the Endothelin 3 Locus Causes Dermal Hyperpigmentation in the Chicken. *PLoS Genetics* 7, e1002412.

Englund, T., Strömstedt, L., and Johansson, A.M. (2014). Relatedness and diversity of nine Swedish local chicken breeds as indicated by the mtDNA D-loop. *Hereditas* 151, 229–233.

Hillel, J., Groenen, M.A.M., Tixier-Boichard, M., Korol, A.B., David, L., Kirzhner, V.M., Burke, T., Barre-Dirie, A., Crooijmans, R.P.M.A., Elo, K., et al. (2003). Biodiversity of 52 chicken populations assessed by microsatellite typing of DNA pools. *Genetics Selection Evolution* 35, 533–557.

Johansson, A.M., and Nelson, R.M. (2015). Characterization of genetic diversity and gene mapping in two Swedish local chicken breeds. *Frontiers in Genetics* 6, 44.

Johnsen, H. (2014). The Importance of the *TSHR*-gene in Domestic Chicken. Examensarbete. Linköpings Universitet.

Lyimo, C.M., Weigend, A., Mssoffe, P.L., Eding, H., Simianer, H., and Weigend, S. (2014). Global diversity and genetic contributions of chicken populations from African, Asian and European regions. *Animal Genetics* 45, 836–848.

Sørensen, P., Danell, B., Brenøe, U., and Tuiskula-Haavisto, M. (2004). A review of Poultry Breeding stock in the Nordic Countries (Nordisk Genbank Husdyr).

Spalona, A., Ranvig, H., Cywa-Benko, K., Zanon, A., Sabbioni, A., Szalay, I., Benkova, J., Baumgartner, J., and Szwaczkowski, T. (2007). Population size in conservation of local chicken breeds in chosen European countries. *Archiv Fur Geflügelkunde* 71, 49–55.

Sundström, H., Webster, M.T., and Ellegren, H. (2004). Reduced variation on the chicken Z chromosome. *Genetics* 167, 377–385.

Twito, T., Weigend, S., Blum, S., Granevitze, Z., Feldman, M.W., Perl-Treves, R., Lavi, U., and Hillel, J. (2007). Biodiversity of 20 chicken breeds assessed by SNPs located in gene regions. *Cytogenetic and Genome Research* 117, 319–326.

Vanhala, T., Tuiskula-Haavisto, M., Elo, K., Vilkki, J., and Maki-Tanila, A. (1998). Evaluation of genetic variability and genetic distances between eight chicken lines using microsatellite markers. *Poultry Science* 77, 783–790.

Weigend, S., and Romanov, M.N. (2001). Current strategies for the assessment and evaluation of genetic diversity in chicken resources. *World's Poultry Science Journal* 57, 275–288.

Dog reference list

Bannasch, D.L., Bannasch, M.J., Ryun, J.R., Famula, T.R., and Pedersen, N.C. (2005). Y chromosome haplotype analysis in purebred dogs. *Mammalian Genome* 16, 273–280.

Berghoff, N., Ruaux, C.G., Steiner, J.M., and Williams, D.A. (2007). Gastroenteropathy in Norwegian Lundehunds. *Compendium: Continuing Education for Veterinarians* (Yardley, PA) 456–471.

Bergström, A., Nødtvedt, A., Lagerstedt, A.-S., and Egenvall, A. (2006). Incidence and breed predilection for dystocia and risk factors for cesarean section in a Swedish population of insured dogs. *Veterinary Surgery* 35, 786–791.

Håkansson, L. (2002). Bevarandegenetisk studie av gotlandsutövaren - en svensk lantras. Examensarbete för Magisterexamen. Zoologiska Institutionen. Avdelningen för Populationsgenetik. Stockholms Universitet.

Harvik, R. (2010). Current Breeding status of the Norwegian Lundehund. Thesis. Szent István University.

Irion, D.N. (2003). Analysis of Genetic Variation in 28 Dog Breed Populations With 100 Microsatellite Markers. *Journal of Heredity* 94, 81–87.

Jansson, M. (2008). Utvärdering av datorprogrammen SPARKS och PM2000 för bevarandegenetisk uppföljning av hundavel – en fallstudie av svensk lapphund. Examensarbete för Magisterexamen. Zoologiska Institutionen. Avdelningen för Populationsgenetik. Stockholms Universitet.

Jitpean, S., Hagman, R., Ström Holst, B., Höglund, O., Pettersson, A., and Egenvall, A. (2012). Breed Variations in the Incidence of Pyometra and Mammary Tumours in Swedish Dogs. *Reproduction in Domestic Animals* 47, 347–350.

Karlsson, J. (2013). Den svenska lapphunden - en ras i behov av förändring? The swedish lapphund - a breed in need of a change? Studentarbete. SLU.

Melis, C., Borg, Å.A., Espelien, I.S., and Jensen, H. (2013). Low neutral genetic variability in a specialist puffin hunter: the Norwegian Lundehund. *Animal Genetics* 44, 348–351.

Mukiibi, R., Rochus, C.M., Andersson, G., and Johansson, A.M. (2015). The use of endogenous retroviruses as markers to describe the genetic relationships among local Swedish sheep breeds. *Animal Genetics* 46, 220–223.

Pertoldi, C., Kristensen, T.N., Loeschcke, V., Berg, P., Praebel, A., Stronen, A.V., Proschowsky, H.F., and Fredholm, M. (2013). Characterization of the genetic profile of five Danish dog breeds. *Journal of Animal Science* 91, 5122–5127.

Pfahler, S., and Distl, O. (2014). A massive reduction of the genetic diversity in the Lundehund. *Animal Genetics* 45, 154–154.

Pfahler, S., and Distl, O. (2015). Effective Population Size, Extended Linkage Disequilibrium and Signatures of Selection in the Rare Dog Breed Lundehund. *PLoS ONE* 10, e0122680.

Sibbern Sorensen, T. (2011). A critical analysis of the breeding program of the Norwegian hound. Thesis. Szent István University.

Vila, C. (1997). Multiple and Ancient Origins of the Domestic Dog. *Science* 276, 1687–1689.

Vila, C., Maldonado, J.E., and Wayne, R.K. (1999). Phylogenetic Relationships, Evolution, and Genetic Diversity of the Domestic Dog. *The Journal of Heredity* 90, 71–77.

Goat reference list

Ævarsdóttir, H. (2014). The Secret Life of Icelandic Goats: Activity, group structure and plant selection of the Icelandic goat. Master Thesis. Life and Environmental Sciences School of Engineering and Natural Sciences, University of Iceland.

Baldursdóttir, B.K. (2010). Genetic variation within the Icelandic goat breed: assessment using population data and DNA analysis. Master Thesis. Agricultural University of Iceland, Faculty of Land and Animal Resources.

Baldursdóttir, B.K., Kristjansson, T., and Hallsson, J.H. (2012). Diversity of the Icelandic goat breed assessed using population data. *Acta Agriculturae Scandinavica, Section A - Animal Science* 62, 53–65.

Dýrmundsson, Ó. r. (2005). The Iceland goat: past and present. *Animal Genetic Resources* 36, 53–59.

Dýrmundsson, Ó.R. (2006). Sustainability of sheep and goat production in North European countries—From the Arctic to the Alps. *Small Ruminant Research* 62, 151–157.

Johansson, M., Höglberg, M., and Andrén, A. (2014). High Frequencies of the αS1-Casein Zero Variant in Milk from Swedish Dairy Goats. *Sheep & Goat Research Journal* 29, 1–4.

Johansson, M., Höglberg, M., and Andrén, A. (2015). Relation Between αS1-Casein Content and Coagulation Properties of Milk from Swedish Dairy Goats. *The Open Food Science Journal* 9, 1–4.

Shrestha, J.N.B. (2005). Conserving domestic animal diversity among composite populations. *Small Ruminant Research* 56, 3–20.

Söderquist, L. (2003). Gene banking of endangered sheep and goat breeds in Sweden. In *Farm Animal Reproduction: Conserving Local Genetic Resources: Proceedings from a Minisymposium at Lithuanian Veterinary Academy, Kaunas, Lithuania, September 13-15, 2003*.

Horse reference list

- Aberle, K.S., and Distl, O. (2004). Domestication of the horse: results based on microsatellite and mitochondrial DNA markers. *Archiv für Tierzucht* 47, 517–536.
- Aberle, K.S., Hamann, H., Drögemüller, C., and Distl, O. (2004). Genetic diversity in German draught horse breeds compared with a group of primitive, riding and wild horses by means of microsatellite DNA markers. *Animal Genetics* 35, 270–277.
- Andersson, L.S., Larhammar, M., Memic, F., Wootz, H., Schwochow, D., Rubin, C.-J., Patra, K., Arnason, T., Wellbring, L., Hjälm, G., et al. (2012). Mutations in DMRT3 affect locomotion in horses and spinal circuit function in mice. *Nature* 488, 642–646.
- Arnason, T., Jensen, P., Klemetsdal, G., Ojala, M., and Philipsson, J. (1994). Experience from application of animal breeding theory in Nordic horse breeding. *Livestock Production Science* 40, 9–19.
- Bhatnagar, A.S., East, C.M., and Splan, R.K. (2011a). Genetic variability of the Norwegian Fjord horse in North America. *Animal Genetic Resources* 49, 43–49.
- Bhatnagar, A.S., East, C.M., and Splan, R.K. (2011b). Inbreeding and founder contributions of the Norwegian Fjord horse in North America. *Journal of Equine Veterinary Science* 31, 240–241.
- Bjørnstad, G., and Røed, K.H. (2001). Breed demarcation and potential for breed allocation of horses assessed by microsatellite markers. *Animal Genetics* 32, 59–65.
- Bjørnstad, G., and Roed, K.H. (2002). Evaluation of factors affecting individual assignment precision using microsatellite data from horse breeds and simulated breed crosses. *Animal Genetics* 33, 264–270.
- Bjørnstad, G., Gunby, E., and Røed, K.H. (2000). Genetic structure of Norwegian horse breeds. *Journal of Animal Breeding and Genetics* 117, 307–317.
- Bjørnstad, G., Nilsen, N., and Røed, K.H. (2003). Genetic relationship between Mongolian and Norwegian horses? *Animal Genetics* 34, 55–58.
- Bohlin, O., and Rönningen, K. (1975). Inbreeding and Relationship within the North-Swedish Horse. *Acta Agriculturae Scandinavica* 25, 121–125.
- Brooks, S.A., Makvandi-Nejad, S., Chu, E., Allen, J.J., Streeter, C., Gu, E., McCleery, B., Murphy, B.A., Bellone, R., and Sutter, N.B. (2010). Morphological variation in the horse: defining complex traits of body size and shape: Skeletal traits in the horse. *Animal Genetics* 41, 159–165.
- Campana, M.G., Stock, F., Barrett, E., Benecke, N., Barker, G.W.W., Seetah, K., and Bower, M.A. (2012). Genetic stability in the Icelandic horse breed: Genetic stability in the Icelandic horse breed. *Animal Genetics* 43, 447–449.
- Cothran, E., Juras, R., and Macijauskiene, V. (2005). Mitochondrial DNA D-loop sequence variation among 5 maternal lines of the Zemaitukai horse breed. *Genetics and Molecular Biology* 28, 677–681.

Dolvik, N.I., and Klemetsdal, G. (1999). Conformational Traits of Norwegian Cold-blooded Trotters: Heritability and the Relationship with Performance. *Acta Agriculturae Scandinavica, Section A - Animal Science* 49, 156–162.

Haase, B., Jagannathan, V., Rieder, S., and Leeb, T. (2015). A novel KIT variant in an Icelandic horse with white-spotted coat colour. *Animal Genetics* 46, 466–466.

Hreiðarsdóttir, G.E., Árnason, Þ., Svansson, V., and Hallsson, J.H. (2014). Analysis of the history and population structure of the Icelandic horse using pedigree data and DNA analyses. *Icelandic Agricultural Sciences* 27, 63–79.

Hugason, K. (1994). Breeding of Icelandic toelter horses: an overview. *Livestock Production Science* 40, 21–29.

Hyllmark, M.-L. (2014). Sammensetning av egenskaper innen temperament hos varmblods ridehest, islandshest og ponni. Master Thesis. NMBU.

Jäderkvist, K., Holm, N., Imsland, F., Árnason, T., Andersson, L., Andersson, L.S., and Lindgren, G. (2015). The importance of the DMRT3 “Gait keeper” mutation on riding traits and gaits in Standardbred and Icelandic horses. *Livestock Science* 176, 33–39.

Jansen, T., Forster, P., Levine, M.A., Oelke, H., Hurles, M., Renfrew, C., Weber, J., and Olek, K. (2002). Mitochondrial DNA and the origins of the domestic horse. *Proceedings of the National Academy of Sciences* 99, 10905–10910.

Khadka, R. (2010). Global horse population with respect to breeds and risk status. Master Thesis. SLU.

Klemetsdal, G. (1999). Stochastic simulation of sire selection strategies in North-Swedish and Norwegian cold-blooded trotters. *Livestock Production Science* 57, 219–229.

Kristjánsson, Þ. (2014). Riding Ability in Icelandic Horses – Effect of Conformation and the “Gait Keeper” Mutation in the DMRT3 Gene. Doctoral thesis. Agricultural University of Iceland.

Kristjansson, T., Bjornsdottir, S., Sigurdsson, A., Crevier-Denoix, N., Pourcelot, P., and Arnason, T. (2013). Objective quantification of conformation of the Icelandic horse based on 3-D video morphometric measurements. *Livestock Science* 158, 12–23.

Kvale, M.I.S. (2010). Development and breeding of the Norwegian Døle Horse. Thesis. Szent István University.

Lindgren, G., Backström, N., Swinburne, J., Hellborg, L., Einarsson, A., Sandberg, K., Cothran, G., Vilà, C., Binns, M., and Ellegren, H. (2004). Limited number of patrilines in horse domestication. *Nature Genetics* 36, 335–336.

Mejdell, C.M., and Bøe, K.E. (2005). Responses to climatic variables of horses housed outdoors under Nordic winter conditions. *Canadian Journal of Animal Science* 85, 307–308.

Olsen, H.F., and Klemetsdal, G. (2010). Management to ensure effective population size in a breeding programme for the small Norwegian horse breeds – a simulation study. *Acta Agriculturae Scandinavica, Section A — Animal Science* 60, 60–63.

Olsen, H.F., Klemetsdal, G., and Helfjord, J.R. (2000). Innivalsnivå og effektiv populasjonsstørrelse i dølehestavlen. Unknown report.

Olsen, H.F., Klemetsdal, G., Ruane, J., and Helfjord, T. (2005). Use of probabilities of gene origin to describe genetic variation in two endangered Norwegian horse breeds. In Conservation Genetics of Endangered Horse Breeds.,

Olsen, H.F., Klemetsdal, G., Ruane, J., and Helfjord, T. (2005). Use of probabilities of gene origin to describe genetic variation in two endangered Norwegian horse breeds. In Conservation Genetics of Endangered Horse Breeds, EAAP Publication No. 116.

Olsen, H.F., Klemetsdal, G., Ruane, J., and Helfjord, T. (2010). Pedigree structure and genetic variation in the two endangered Norwegian horse breeds: Døle and Nordland/Lyngen. *Acta Agriculturae Scandinavica, Section A - Animal Science* 60, 13–22.

Olsen, H.F., Klemetsdal, G., Ødegård, J., and Árnason, T. (2012). Validation of alternative models in genetic evaluation of racing performance in North Swedish and Norwegian cold-blooded trotters: Validation of alternative models in the cold-blooded trotter. *Journal of Animal Breeding and Genetics* 129, 164–170.

Olsen, H.F., Meuwissen, T., and Klemetsdal, G. (2013). Optimal contribution selection applied to the Norwegian and the North-Swedish cold-blooded trotter - a feasibility study: Optimal contribution selection in cold-blooded trotters. *Journal of Animal Breeding and Genetics* 130, 170–177.

Olsen, H.F., Klemetsdal, G., Ivar, N., Dolvik, T.K., Flaat, J., and Karlsen, K. Forslag til endringer i avlsutstillingene på Nordlandshest/Lyngshest. Unknown report.

Promerová, M., Andersson, L.S., Jurás, R., Penedo, M.C.T., Reissmann, M., Tozaki, T., Bellone, R., Dunner, S., Hořín, P., Imsland, F., et al. (2014). Worldwide frequency distribution of the “Gait keeper” mutation in the DMRT3 gene. *Animal Genetics* 45, 274–282.

Saastamoinen, M.T., and Mäenpää, M. (2005). Rare horse breeds in Northern Europe. In Conservation Genetics of Endangered Horse Breeds, EAAP Publication No. 116.

Samsonstuen, S. (2015). Effekt av innavl på prestasjonsegenskaper hos varmblodstraver i Norge. Master Thesis. NMBU.

Schroderus, E., and Ojala, M. (2010). Estimates of genetic parameters for conformation measures and scores in Finnhorse and Standardbred foals: Genetic parameters for foal conformation. *Journal of Animal Breeding and Genetics* 127, 395–403.

Selle, T. (2010). Genetisk analyse av utstillingsresultat for dei norske hesterasane dølehest, fjordhest og nordlandshest/lyngshest. Master Thesis. UMB.

Strom, L.C. (2010). Breeding and breed development of the Norwegian Fjord Horse. Thesis. Szent István University.

Suontama, M., Saastamoinen, M., and Ojala, M. (2009). Estimates of non-genetic effects and genetic parameters for body measures and subjectively scored traits in Finnhorse trotters. *Livestock Science* 124, 205–209.

Suontama, M., van der Werf, J.H.J., Juga, J., and Ojala, M. (2011). The use of foal and studbook traits in the breeding programmes of Finnhorse and Standardbred trotters: Foal and studbook traits of trotters. *Journal of Animal Breeding and Genetics* 128, 114–123.

Suontama, M., van der Werf, J.H.J., Juga, J., and Ojala, M. (2013). Genetic correlations for foal and studbook traits with racing traits and implications for selection strategies in the Finnhorse and Standardbred trotter: Conformation, functional and racing traits in trotters. *Journal of Animal Breeding and Genetics* 130, 178–189.

Thirstrup, J.P., Pertoldi, C., and Loeschcke, V. (2008). Genetic analysis, breed assignment and conservation priorities of three native Danish horse breeds. *Animal Genetics* 39, 496–505.

Thirstrup, J.P., Bach, L.A., Loeschke, V., and Pertoldi, C. (2009). Population viability analysis on domestic horse breeds (*Equus caballus*). *Journal of Animal Science* 87, 3525–3535.

Ussing, A.P. Bevaringsværdige farver hos islandshesten. Unknown report.

Vangen, O. (1983). The use of relationship matrices to avoid inbreeding in small horse populations. *Zeitschrift für Tierzüchtung und Züchtungsbiologie* 100, 48–54.

Velie, B.D., Jäderkvist, K., Imsland, F., Viluma, A., Andersson, L.S., Mikko, S., Eriksson, S., and Lindgren, G. (2015). Frequencies of polymorphisms in myostatin vary in Icelandic horses according to the use of the horses. *Animal Genetics* 46, 467–468.

Vila, C. (2001). Widespread Origins of Domestic Horse Lineages. *Science* 291, 474–477.

Wallner, B., Vogl, C., Shukla, P., Burgstaller, J.P., Druml, T., and Brem, G. (2013). Identification of Genetic Variation on the Horse Y Chromosome and the Tracing of Male Founder Lineages in Modern Breeds. *PLoS ONE* 8, e60015.

Pig reference list

Hansson, M. (2008). Linderödsgrisen - en inventering av populationsstruktur och produktionsnivå. The Linderöd pig - an investigation on population structure and production level. Examensarbete. SLU.

Jonsson, P. (1971). Population Parameter Estimates of the Danish Landrace Pig. *Acta Agriculturae Scandinavica* 21, 11–16.

Laval, G., Iannuccelli, N., Legault, C., Milan, D., Groenen, M.A.M., Giuffra, E., Andersson, L., Nissen, P.H., Jørgensen, C.B., Beeckmann, P., et al. (2000). Genetic diversity of eleven European pig breeds. *Genetics Selection Evolution* 32, 187–203.

Ollivier, L. (2009). European pig genetic diversity: a minireview*. *Animal* 3, 915–924.

SanCristobal, M., Chevalet, C., Haley, C.S., Joosten, R., Rattink, A.P., Harlizius, B., Groenen, M.A.M., Amigues, Y., Boscher, M.-Y., Russell, G., et al. (2006). Genetic diversity

within and between European pig breeds using microsatellite markers. *Animal Genetics* 37, 189–198.

Sheep reference list

- Adalsteinsson, S. (1975). Depressed fertility in Icelandic sheep caused by a single colour gene. *Ann. Génét. Sél. Anim* 7, 445–447.
- Chessa, B., Pereira, F., Arnaud, F., Amorim, A., Goyache, F., Mainland, I., Kao, R.R., Pemberton, J.M., Beraldi, D., Stear, M.J., et al. (2009). Revealing the History of Sheep Domestication Using Retrovirus Integrations. *Science* 324, 532–536.
- Dahlberg, L. (2012). Genetic variation in local Swedish sheep breeds. Thesis. SLU.
- Davis, G.. (2004). Fecundity genes in sheep. *Animal Reproduction Science* 82-83, 247–253.
- Dýrmundsson, Ó.R. (2006). Sustainability of sheep and goat production in North European countries—From the Arctic to the Alps. *Small Ruminant Research* 62, 151–157.
- Dýrmundsson, ó. R., and Niżnikowski, R. (2010). North European short-tailed breeds of sheep: a review. *Animal* 4, 1275–1282.
- Eines, K.-M. (2012). Tilvekst hos lam av norsk kvit sau og spælsau på godt og dårlig utmarksbeite. Master Thesis. UMB.
- Grøva, L. (2011). Tick-borne fever in sheep-production loss and preventive measures. Doctoral thesis. Norwegian University of Life Sciences. Department of Animal and Aquacultural Sciences.
- Hansen, I., Hansen, H.S., and Christiansen, F. (1998). Kartlegging av antipredatoratferd hos ulike saueraser. Planteforsk Tjøtta fagsenter report.
- Hautaniemi, M., Tapiovaara, H., Korpenfelt, S.-L., and Sihvonen, L. (2012). Genotyping and surveillance for scrapie in Finnish sheep. *BMC Veterinary Research* 8, 122.
- Hovstad, K.A., and Waldeland, H. (2009). Body weight and blood parameters of Old Norse Sheep grazing coastal heathland. *Acta Agriculturae Scandinavica, Section A - Animal Science* 59, 173–180.
- Jensen, R.H.E. (2013). Spælsau og norsk kvit sau: en økonomisk og biologisk sammenligning. Master Thesis. UMB.
- Kantanen, J., and Vilkki, J. 4.2. Molecular characterisation of genetic resources in cattle and sheep for preserving breeding options.
- Kijas, J.W., Lenstra, J.A., Hayes, B., Boitard, S., Porto Neto, L.R., San Cristobal, M., Servin, B., McCulloch, R., Whan, V., Gietzen, K., et al. (2012). Genome-Wide Analysis of the World's Sheep Breeds Reveals High Levels of Historic Mixture and Strong Recent Selection. *PLoS Biology* 10, e1001258.

Land, R.B., and Robinson, D.W. (1985). Genetics of Reproduction in Sheep (Butterworths).

Li, M.-H., Strandén, I., and Kantanen, J. (2009). Genetic diversity and pedigree analysis of the Finnsheep breed. *Journal of Animal Science* 87, 1598–1605.

Li, M.-H., Strandén, I., Tiirkka, T., Sevón-Aimonen, M.-L., and Kantanen, J. (2011). A Comparison of Approaches to Estimate the Inbreeding Coefficient and Pairwise Relatedness Using Genomic and Pedigree Data in a Sheep Population. *PLoS ONE* 6, e26256.

Li, M.H., Tiirkka, T., and Kantanen, J. (2014). A genome-wide scan study identifies a single nucleotide substitution in ASIP associated with white versus non-white coat-colour variation in sheep (*Ovis aries*). *Heredity* 112, 122–131.

Lv, F.-H., Agha, S., Kantanen, J., Colli, L., Stucki, S., Kijas, J.W., Joost, S., Li, M.-H., and Ajmone Marsan, P. (2014). Adaptations to Climate-Mediated Selective Pressures in Sheep. *Molecular Biology and Evolution* 31, 3324–3343.

Lv, F.-H., Peng, W.-F., Yang, J., Zhao, Y.-X., Li, W.-R., Liu, M.-J., Ma, Y.-H., Zhao, Q.-J., Yang, G.-L., Wang, F., et al. (2015). Mitogenomic Meta-Analysis Identifies Two Phases of Migration in the History of Eastern Eurasian Sheep. *Molecular Biology and Evolution* 32, 2515–2533.

Marcos-Carcavilla, A., Mutikainen, M., González, C., Calvo, J.H., Kantanen, J., Sanz, A., Marzanov, N.S., Pérez-Guzmán, M.D., and Serrano, M. (2010). A SNP in the HSP90AA1 gene 5' flanking region is associated with the adaptation to differential thermal conditions in the ovine species. *Cell Stress and Chaperones* 15, 67–81.

Meadows, J.R.S., Li, K., Kantanen, J., Tapiro, M., Sipos, W., Pardeshi, V., Gupta, V., Calvo, J.H., Whan, V., Norris, B., et al. (2005). Mitochondrial Sequence Reveals High Levels of Gene Flow Between Breeds of Domestic Sheep from Asia and Europe. *Journal of Heredity* 96, 494–501.

Meadows, J.R.S., Hanotte, O., Drögemüller, C., Calvo, J., Godfrey, R., Coltman, D., Maddox, J.F., Marzanov, N., Kantanen, J., and Kijas, J.W. (2006). Globally dispersed Y chromosomal haplotypes in wild and domestic sheep. *Animal Genetics* 37, 444–453.

Mukiibi, R., Rochus, C.M., Andersson, G., and Johansson, A.M. (2015). The use of endogenous retroviruses as markers to describe the genetic relationships among local Swedish sheep breeds. *Animal Genetics* 46, 220–223.

Niemi, M., Bläuer, A., Iso-Touru, T., Nyström, V., Harjula, J., Taavitsainen, J.-P., Storlaa, J., Lidén, K., Kantanen, J., and others (2013). Mitochondrial DNA and Y-chromosomal diversity in ancient populations of domestic sheep (*Ovis aries*) in Finland: comparison with contemporary sheep breeds. *Genet Sel Evol* 45.

Norberg, E., Berg, P., and Pedersen, J. (2005). Genetic parameters for birth weight, growth, and litter size in Nordic sheep breeds. *Acta Agriculturae Scandinavica, A* 55, 123–127.

Nordheim, L.A., Steinheim, G., Holand, Ø., and Ådnøy, T. Förval hjå pels-, spæl-og dalasau på utmarksbeite. Unknown report.

Rochus, C.M., Mikko, S., Näsholm, A., and Johansson, A.M. (2014). ASIP and MC1R mutations causing black coat colour in five Swedish sheep breeds. In 10th World Congress on Genetics Applied to Livestock Production.

Shrestha, J.N.B. (2005). Conserving domestic animal diversity among composite populations. Small Ruminant Research 56, 3–20.

Söderquist, L. (2003). Gene banking of endangered sheep and goat breeds in Sweden. In Farm Animal Reproduction: Conserving Local Genetic Resources: Proceedings from a Minisymposium at Lithuanian Veterinary Academy, Kaunas, Lithuania, September 13-15, 2003.

Sormunen-Cristian, R., and Suvela, M. (1999). Out-of-season lambing of Finnish Landrace ewes. Small Ruminant Research 31, 265–272.

Steinheim, G., Ådnøy, T., Meuwissen, T., and Klemetsdal, G. (2004). Indications of breed by environment interaction for lamb weights in Norwegian sheep breeds. Acta Agriculturae Scandinavica, Section A — Animal Science 54, 193–196.

Steinheim, G., Nordheim, L.A., Weladji, R.B., Gordon, I.J., Ådnøy, T., and Holand, Ø. (2005). Differences in choice of diet between sheep breeds grazing mountain pastures in Norway. Acta Agriculturae Scandinavica, Section A — Animal Science 55, 16–20.

Steinheim, G., Eikje, L.S., Klemetsdal, G., and Ådnøy, T. (2008). Effect of birth weight, gender and litter characteristics on summer mortality in lambs of Norwegian breeds. Acta Agriculturae Scandinavica, Section A - Animal Science 58, 45–50.

Stenheim, G., Nordheim, L., Weladji, R., Holand, Ø., and Ådnøy, T. (2003). Digestive Tract Anatomy of Norwegian Sheep: Difference Between Breeds. Acta Agriculturae Scandinavica, Section A — Animal Science 53, 155–158.

Tapio, M., and Ozerov, M. (2007). Molecular genetic variation in sheep of the central Volga area inhabited by Finno-Ugric peoples. Agricultural and Food Science 16, 157–169.

Tapio, M., Miceikiene, I., Vilkki, J., and Kantanen, J. (2003). Comparison of microsatellite and blood protein diversity in sheep: inconsistencies in fragmented breeds. Molecular Ecology 12, 2045–2056.

Tapio, M., Tapio, I., Grislis, Z., Holm, L.-E., Jeppsson, S., Kantanen, J., Miceikiene, I., Olsaker, I., Viinalass, H., and Eythorsdottir, E. (2005). Native breeds demonstrate high contributions to the molecular variation in northern European sheep. Molecular Ecology 14, 3951–3963.

Tapio, M., Ozerov, M., Tapio, I., Toro, M.A., Marzanov, N., Činkulov, M., Goncharenko, G., Kiselyova, T., Murawski, M., and Kantanen, J. (2010). Microsatellite-based genetic diversity and population structure of domestic sheep in northern Eurasia. BMC Genetics 11, 76.

Tranulis, M.A., Osland, A., Bratberg, B., and Ulvund, M.J. (1999). Prion protein gene polymorphisms in sheep with natural scrapie and healthy controls in Norway. Journal of General Virology 80, 1073–1077.

Våge, D.I., Klungland, H., Lu, D., and Cone, R.D. (1999). Molecular and pharmacological characterization of dominant black coat color in sheep. *Mammalian Genome* 10, 39–43.

Våge, D.I., Fleet, M.R., Ponz, R., Olsen, R.T., Monteagudo, L.V., Tejedor, M.T., Arruga, M.V., Gagliardi, R., Postiglioni, A., Nattrass, G.S., et al. (2003). Mapping and characterization of the dominant black colour locus in sheep. *Pigment Cell Research* 16, 693–697.

Westberg Sunesson, K. (2015). Genetic variation of ASIP and MC1R in past and present sheep of Gotland. Examensarbete. SLU.

Additional general references

Baumung, R., Simianer, H., and Hoffmann, I. (2004). Genetic diversity studies in farm animals—a survey. *Journal of Animal Breeding and Genetics* 121, 361–373.

Magnusson, S. (2010). Bevarande av de svenska lantraserna, populationsgenetiska och molekylärgenetiska metoder. Examensarbete. SLU.

Maijala, K. (2011). Early animal genetic resources conservation in Scandinavia – first decades of identification and conservation of animal genetic resources in Scandinavia. *Animal Genetic Resources* 49, 87–95.

Maijala, K., Neimann-Sorensen, A., Adalsteinsson, S., Kolstad, N., Danell, B., and Gjelstad, B. Conservation of gene resources of farm animals in the Nordic countries. *Animal Genetic Resources Information Bulletin*. FAO. 7, 45–53.

Ruane, J. (2000). A Framework for Prioritizing Domestic Animal Breeds for Conservation Purposes at the National Level: a Norwegian Case Study. *Conservation Biology* 14, 1385–1393.